



Basic GUI and Navigation ▾



[← Back to home](#)

Property Panel

There are two different kinds of properties, which are the properties of a model and those of an element. In the first table, you will find the description of the model properties, whereas in the second table the element properties will be described.

Group	Function	Description
General	Name	Name of model
	Description	General description of the model
	Objective	Contains the aim of the model
	Version comment	A comment can be written for every version for a better understanding of changes.
Meta-information	Owner	This contains the user who is responsible for the model
	Version	Current: the current version of the model Deployed: the version of the currently deployed model

Depending on the element, the properties can vary. Below are all properties described which means that you can find a description for **every property** of **every element**. So it might happen that not every function is relevant for what you are currently searching for.

Group	Function	Description
General	Name	Name of model



	Short name	A short name for the element can be configured here
	Description	General description of the model
	Objective	Contains the aim of the model
	Workflow (Use dynamic name)	This is only relevant for workflow executions. This enables to configure dynamic names of tasks so that it is easier to allocate tasks to workflows
Business intelligence	Rating	Tasks and areas can be highlighted in a model. The highlights are only visible if the appropriate option is enabled in the View tab (Annotations > Rating Map)
	Owner	This contains the user who is responsible for the model. For detailed information on owners click here
	ModelResponsible	This user is responsible for the implementation (modeling) and the content of the model
Meta-information	WorkflowResponsible	This user is responsible for the model execution and therefore gets all user failed tasks and all activity failed tasks where no User in charge is set
	Version	Current: the current version of the model Deployed: the version of the currently deployed model
Edit event	Edit event	Opens the Edit event dialog for the detailed configuration of an event for the selected element
Customize	Fill color	The color of the selected element can be set here
	Font color	The font color of the currently selected element can be set here

	Use default colors	If you tried out some colors but do not like them you can simply recover the initial colors by choosing this option
	Advanced picker	Opens a new window in order to pick additional colors with the color picker
	Target duration	Contains the planned duration of a task
Timings	Processing time	Detailed and planned net-processing time (min/max/average)
	Throughput time	Detailed and planned throughput time (min/max/average)
Event information	This section contains information about the configured event (the type of event, trigger time etc.)	
	Condition name	This field is for the configuration of the condition name
Condition	Exception name	This field is for the configuration of the exception name which will then be displayed on the exception path
	Open condition editor	By clicking this button the editor where you can configure conditions opens
Connections	Connections: in	List of references with incoming connections of the selected element
	Connections: out	List of references with outgoing connections of the selected element
The visibility of the remaining scopes (Roles, Documents, ...) are dynamic and depend on the references of the element		

The properties can be extended at any time by adding new fields. These fields can be created at model or element level and support various types such as Text, Date, Number, Boolean, Rich Text, Single or Multiple Users.